UNCLASSIFIED AD 406 349

DEFENSE DOCUMENTATION CENTER

FOR

SCIENTIFIC AND TECHNICAL INFORMATION

CAMERON STATION, ALEXANDRIA, VIRGINIA



UNCLASSIFIED

NOTICE: When government or other drawings, specifications or other data are used for any purpose other than in connection with a definitely related government procurement operation, the U. S. Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto.

406 349

MINUTEMAN WS-133 B

REQUIREMENTS AND DESCRIPTION

WING VI

VOLUME 1A

INTRODUCTION

TABLE OF CONTENTS

USAGE INDEX

USAF AIR FORCE SYSTEM COMMAND
BALLISTIC SYSTEMS DIVISION

D2-30044-1A

CODE IDENT NO. 81205

NUMBER D2-30044-1A	
TITLE WEAPON SYSTEM REQUIREMENTS	
AND DESCRIPTION, S-133-10	
MODEL NO. WS-133B CONTRACT NO. AF04(694)-266	
ISSUE NO. 146-1 ISSUED TO and Fren Jech Inf a	gene
ISSUE NO. 146-1 ISSUED TO and Dear Jech Inf a arlington , by THIS ISSUE SUPERSEDES 18SUE 146	,
ASTIA may distribute this report to requesting agencies subject to their security agreement, approved fleids of interest, and the	
UNITED—To all agencies of the Department of Defense and their contractors.	
D LIMITED—To U. S. Military organizations only. This report may be distributed to nonmilitary agencies not approved above subject to Booing approval of each request.	
NOTE: the LIMITED category may be checked only because of actual or potential patent, proprietory, ethical, or similar implications.	
	
TECHNICAL PREPARATION BY AGE SYSTEMS ENGINEERING	
DOCUMENT PREPARED BY WING VI DOCUMENTATION	
SUPERVISED BY Min Demoser 3/5/3	
APPROVED BY W. Dempsey 2/16/3	
D. G. Stensrud APPROVED BY	
CLASS & DISTR	
APPROVED BY	
JUN 19 1963	
KEV SYM	7461.0
US 4287 9038 ORIG. 8/82 TISIA D Of 31	2-8142-1
1	

	,	_							101	NECOK!							
_	ر [DD	ED PA	\GE	<u>s</u>		$\ $			^	DDI	ED P	AGI	S	
SECTION	ORIG REL PAGE NO.	REV SYM	PAGE NO.	REV SYM	PAGE NO.	REV SYM	PAGE NO.	REV SYM	SECTION	ORIG REL PAGE NO.	REV SYM	PAGE NO.	REV SYM	PAGE NO.	REV SYM	PAGE NO.	REV SYM
	Title A	ပပ	В	С					П	1 2	000						
CONT	i	С	,														
	1 2 3 4 5 6 6 7 8 9 10 11 12 13 14 15 16 17 18	0 00 00 00 00 00 00 00 00 00 00 00 00 0	13.1	C	13. 2	С			ш	1 2 3 4 5 6 7 8	φουουου						
U3 4801	0600 ORIG.	V62	L				1	_11	<u>_</u> <u>_</u>				_ <u></u>	44-14		2-514	<u>.</u>

REV SYM_C

BOSING NO. D2-30044-1A

	REVISIONS		
SYM	DESCRIPTION	DATE	APPROVED
A	Complete Revision to Divide Volume I into Volume IA & 1B	2-15-63	W. J. Dempsey
В	Revised Title Page & Page A. Added Page B In Section I: Added pages 13.1 & 13.2 Revised pages 4, 6, 13 & 16	3-22-63	W.J. Dempsey
С	Complete Revision	5-13-63	M. Hampse

4207 9025 ORIG. 8/62

2-5142-2

C REV SYM_____

BOEING

D2-30044-1A

SECT.

PAGE B

TABLE OF CONTENTS VOLUME 1A

TITLE	PA	GE
TABLE OF CONTENTS		i
DOCUMENT INTRODUCTION	•	I - 1
DOCUMENT CONTENTS		n - 1
USAGE INDEX		III - 1

U3 4288 2000 REV. 6/62

1

2-6142-2

REV SYM____C

BOEING NO. D2-3004

SECT Cont. PAGE 1

INTRODUCTION

PUR POSE

The Weapon System Requirements and Description document series presents a detailed functional description of the WS-133B Weapon System. Its purpose is to identify the equipment, personnel, facilities and data that are necessary components of the Weapon System.

B. SCOPE

This document series contains the forms, diagrams and drawings developed and approved during the analysis, thus providing source data for all agencies concerned with the development of equipment elements, facilities criteria, personnel and training requirements, technical manual data, provisioning data and logistics planning. In addition to covering the operational Weapon System, Volumes I, II, III, V, VI & VII also contain data for the VAFB Category III Test Program. The VAFB Category III Test Program is a SAC conducted operational evaluation program which is designed to determine and improve the MINUTEMAN force effectiveness. This program is intended to provide data on Weapon System maintenance and operation practices and procedures, proper organizational structures and verification of manpower requirements.

C. **ORGANIZATION**

See ILLUSTRATION I.

U3 4298 3000 REV. 8/62

C

FUNCTIONAL ORGANIZATION BY VOLUME

NOTE

The following notes apply to the diagram on sheet 5.

VOLUME I, FUNCTIONAL FLOW DIAGRAMS

The starting point of the System Requirements Analysis is the "Function Identification" process. A function is defined as a discrete identifiable entity causing a particular state or event to occur in the system.

The functional flow diagrams depict these functions and functional interactions which must be performed by airborne and/or ground equipment, or by people, or by some combination of equipment and people to meet the objectives of the Weapon System. Refer to Volume 1B, Section IV, for a comprehensive explanation of the mechanics and symbology used on the functional flow diagrams.

■ VOLUME IL SYSTEM FUNCTIONAL ANALYSIS FORM - FORM B

Form B's are developed from each functional flow diagram for each function identified on the flow diagram. The Form B analysis documents the detailed requirements necessary to accomplish the given function, in terms of:

- (1) Equipment
- (2) Facilities, and
- (3) Personnel

A brief explanation of the Form B entries is shown in Illustration 2.

See Volume II, Introduction for a detailed explanation of the Form B entries.

VOLUME III, EQUIPMENT DATA FORMS - FIGURE A

The Figure A provides a means for deriving equipment to satisfy technical requirement identified on the Form B's. Identical or similar technical requirements from the Form B's are grouped (Part I) to generate the Figure A's. Part II, Recommended Solution, defines the end-item of equipment. The Figure A has a dual purpose use; (a) to derive operational equipment and (b) to define and substantiate end items of equipment to Air Force technical and procurement personnel. A brief explanation of the Figure A is shown in Illustration 3. See Volume III, Introduction, for a detailed explanation of the Figure A.

U3 4288 2000 REV. 8/62

FUNCTIONAL ORGANIZATION BY VOLUME (Cont'd)

VOLUME IV, SUBSYSTEM SCHEMATIC BLOCK DIAGRAMS

The block diagrams are analytical models which illustrate the mechanization of the functional flow diagrams. Usages of the subsystem block diagrams are as follows:

- (1) To aid in grouping Form B requirements into Figure A equipment groups.
- (2) To illustrate functional operation of systems.
- (3) To formulate basic requirements for critical MGE items.

See Volume IV, Introduction, for the explanation of the mechanics and symbology used on the subsystem block diagrams.

■ VOLUME V, EQUIPMENT MAINTENANCE ANALYSIS (FORM'S C & C1)

A Form C is prepared for each system and each system peculiar item identified by a Figure A. Each Form C identifies the maintenance functions necessary to support the equipment developed by the corresponding Figure A. The Form C consists of a matrix type form which contain variable elements of maintenance against which the equipment must be analyzed. The Form C is thus analogous to the flow diagrams in purpose (i. e. The flows serve to identify fixed functions which generate operational equipment; whereas the Form C's serve to identify the variable maintenance functions which in turn generate maintenance equipment.

A Form C₁ is prepared for each Form C, and bears the same relationship to the Form C as the Form B does to the Functional Flow diagram. The Form C₁ documents the detailed requirements necessary to accomplish the given maintenance functions in terms of:

- (1) Equipment
- (2) Facilities, and
- (3) Personnel

A brief explaination of the Form C & C_1 entries is shown in Illustration 4. See Volume V, Introduction, for a detailed explaination of the Form C & C_1 entries.

U3 4200 2000 REV. 8/62

€

FUNCTIONAL ORGANIZATION BY VOLUME (Continued)

■ VOLUME VI TECHNICAL MANUAL REQUIREMENTS FORM D'S

Requirements for Technical Manual coverage, on a functional basis, are generated by the Form B's and Form C₁'s. These requirements are grouped into appropriate technical manual packages and recommended on the Form D. The purpose of the Form D is thus analogous to the Figure A (i.e. The Figure A is used to define and procure equipment; whereas, the Form D is used to define and procure Technical Manuals for this equipment). A brief description of the Form D entries is shown in Illustration 5. See Volume VI, Introduction, for a detailed explaination of the Form D entries.

J VOLUME VII, TIMELINE FORMS

The timeline forms are used to perform and record timeline analyses for:

- (1) Operations involving human interface,
- (2) Operations involving time-critical functions,
- (3) All on-site maintenance, and
- (4) Selected activities to be performed by SMSB and MAMS.

The structure of the timelines, wherever possible, matches the structure of the functional flow diagrams.

Usages of the timeline forms are as follows:

- (1) To provide operational reaction time,
- (2) To provide time data necessary to determine the maintenance loading.

The functions for the timeline analysis are obtained from the functional flow diagrams and the Form C's. The personnel tasks are obtained from the Form's B & C_1 .

A brief description of the timeline form is shown in Illustration 6. See Volume VII, Introduction, for a detailed explaination of the timeline form.

VOLUME VIII, MAINTENANCE LOADING

Maintenance Loading forms are prepared to cover all job operations involved in On-Site and Support Base Maintenance of OGE MGE & RPIE. These forms are used to determine equipment quantities (including MGE & spares) & personnel load (in man months), for all maintenance. When completed, these forms are the primary tool for evaluating weapon system effectiveness (& down time). A brief description of the Maintenance Loading forms is shown in Illustrations 7, 8 & 9. See Volume VIII, Introduction, for a more detailed explaination of the Maintenance Loading form.

ILLUSTRATION 1 (SHEET 3 OF 5)

U3 4298 2000 REV. 8/62

FUNCTIONAL ORGANIZATION BY VOLUME (Cont'd)

■ VOLUME IX, WEAPON SYSTEM DESCRIPTION

Information developed during the Requirements Analysis is used to provide a description of the Weapon System.

- (1) Weapon System Concepts
 - a. Operational Concept
 - Maintenance Concept
- (2) Subsystem Operating Diagrams

(These diagrams identify equipment down to the Figure A level, and serve to identify the "sero" indentures.)

- (3) Facility Configurations
 - a. Launch Facility (LF)
 - b. Launch Control Facility (LCF)
 - c. Strategic Missile Support Base (SMSB)

The Weapon System Description serves as a "model" of the system operation and maintenance based upon Volumes I through VIII. Normally, pilot models are constructed to assist in the development and testing of complex systems. This is feasible for portions of a Weapon System but the total size and complexity rules out this approach for planning and verifying operation of the entire Weapon System. The prime purpose of the Weapon System Description is to provide a single means to verify the operating theory for all elements from SAC through the NAF, WCP, ACP, SCP, LCF, LF, SMSB and Depot. The system ANALYTICAL MODEL will contain basic requirements, concepts, ground rules and assumptions used by the associates in developing their subsystems. It also will contain current descriptions (drawings and text) of the Weapon System operation and configuration.

Secondary objectives are:


- (1) To assist in the review of individual hardware by identifying how and where individual hardware fits into the entire Weapon System operation.
- (2) Assist REACT
- (3) Assist CCB
- (4) To provide indoctrination tool, and
- (5) To assist Technical Order Writers.

U3 4268 2000 REV. 8/62

2-5142-2

1.

8



NUMBER SYM REV SYM

D2-30044-IA

			•
- 1		1004 871	(Special abilia required in partnemanca of task)
J]	1100 4004	fi sticulity of Personnel Action in terms of system operation 4- Least 1 most
- 1	ļ	1814 IO OH	(flumber of Personnel required to accomplish the function/tash)
- [[18/00H ¥701)	(Cloub hours required to accomplish the function/task)
Ö	_	W11 -	[Team Code]
Z.	l		
Ţ	2	34.44	(Air Force specially code for personnel recommended to accomplish the function/issk)
AAJOR PUNCTION NO	MOLITHIOART THEMOLUSA	S MEY A	(Personnel actions required for accomplishment of the indicated function)
	SPUCIONA C	EMPLENT INTER AND ABOUTECTURAL A DECINERING REQUIREMENTS	(Facilities requirements resulting from function being analyzed, from facility critoria, or from the design described in the Figure A)
	MDED .	OM 1130HI ~ 20 .V. 91d ~	(Figure A or Index number corresponding to item listed under nemenclature)
	RECOMENDED I	MONEN- CLATURE	(Short form nomenclature of the Item recommended to meet each technical requirement)
		PERFORMANCE PMT •	(Time required to perform each function,)
	٠ ٧	TECHICAL REGARDATS	(Doeign requirements, limitations, and assential operating characteristics which the function imposes on the equipment. For functions with criticality code of "B" or "C" the nature of and/or reason for criticality is stated,)
2	PUNCTION		4
=		L) HEGDENCA	(Frequency of indicated function/task in H-hours, M-months, or T-years)
DIAGRAM TITLE		4884 900.)	(Maintenance location and classification)
딁	ŀ	~ CHINCALITY	(Criticality of function, in terms of system operations -A- least G-most)
PUNCTIONAL FLOW		Ge Car	(Function Block Title and Number) FORM B ILLUSTRATION 2
בו	1	1	

С

F

C REV SYM

D2-30044-IA POTMY

Identifies the source data from which the equipment to derived. The function numbers (from the flow diagrams) CONTRACT NO Appr. printe & Coveriment that this equipment settaffee are entered here. Conference responsed to the Same of Items Oblination DATE Spo, ific Wing identification to which equipment to applicable. ALMIL DO 44 **8841 644** e-Development time ---Nos - cumbined times .0001 .723 **-Fabrication Mme 2003 20006 Government approved source of supply. 4744M 40 83000s Government Furnished Property (GFP) or · Contractor Furnished Equipment (CFE) DOD Agency having engineering cogninance of the item. ESTABLITES TOTAL Total Price - Column Q & Column E 13 Contractors bost setimate of unit price. O SM-80 Wespen Sys HOLD ATURE Used to nest from cimilar eq. #0 77 LO Active units plus spares, 785 An X indicates usage at the facility, resquentity is entered. 9191 2275 421 Number of Items required at each location, 47 HOW BROLLATURE AND PER, MPET COOK mbors entered as applicable to the equipment MOE, RPIE, or DITE Will comits see of the following 117 72 144NE 1884 ALTAT. Functional classification from USAF Bulletin 567A. 3 1 Nid applicable to AVE. ğ 8170 Date of apprival by AFRED -Sportfic Change Authorisation initiating this revision 4. ta. & Engineering Change Proposal) 8471100 BLI WIN FIGURE A Alphabetic revision code 1003 **ILLUSTRATION 3** Date of current revielor M14 30

, 1

-THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO I OLLYVIIC OLLYVIII BE SEC CODE sonect coes 214 bediestes that vrities technical dam is required to perform the maintenance function. Figure A sumber of the MGE recommended to perform the maintenance function. Percental data lists the detailed percental data from the forms C., Calarna I lists the number of people required to perfect the function, calarna 2 gives the level time to accomplish the function, and column 3 lists the Alf Perce Speciality Codes required for the percental performing Schoduled maintenance, column 1, is the contractors recommendation for proventhive maintenance. Uncabeduled maintenance, column 2, is a mathematically columned average failure rate. Wherever, column 3, indicates that additional American are to be performed. Defines gross maintenance locals where the maintenance is to be performed. 76. A MO **9 ₹** ,OM Commins dails necessary to determine the opered requirement for each item of equipment extered. WYW AREAS Ž SWE **§** to perform the function, column 2 gives accomplish the function, and column 3 Mi Speciality Codes required for the person 207WADVA • **7** TANBLE ILLUSTRATION 4 (SHEET 1 OF 2) MAINTENANCE 1 MARTA MARTAN MAR z ż ¥ z PUNCTION TORM C coron system contract Entries I through 10 identify basic maintenance functions which apply to the equipment. The black column to the editories functions generated by the first 110.

Were more than our contractor dates responsiblely for the first, DYECRATED TUNCTION is entered in the black column, and the contractor are identified by their indicates the level of system or outsystem disassembly necessary to accomplish the maintenance function. All telecomotion emerced on this has is cross referenced to the empercising C_1 form. 1 lertal aumbers of equipment to which the entry to NOMBNOLATURE NOMBNOATURE Commiss the alpha botton, rentains and F (112) (012) mber 2 to a subsecently of m EVEKON BATE AND STOCK NO. ∢ < ğ Ę applicable. W. 000 CHAL BATT ó ä D MAC BOOD NOISIAN MOUD = 13 2 I 2 2 1 13) MO D2-30044-IA 1007. C **REV SYM** I

A (2)

(

FORM C, FOR FIG. A NO.	ŧ
C, FOR FIG.	뎣
C. FOR FE	<
3	ی
3	
FORM C.	Ş
FORM	3
	FORM

		1044 9547	Special exiting Poquired in a consider of the Sana.	Т	٦
	1		Controlling of they perfect as rate transfer is replicationers, (1), least a 3, must)]	Į
	1	1094 40 DH	Number of personal required to the registed the function to be table]	
	1	CFOCE HONES	Chief have required to an implied the function/lack (fractions are given in tenting as a handreathe,	3	١
	•	m.11 ~		1	1
	1 Ju	31/4	Air Fire of Speciality Code for the personnel recommended to accomplish the function/tesh.	100	
		PanCTION-TAIR	Personnel tacks remains and for the indicated function,		
	3	Accurrent Beartest (err) Accurrent Accurrent A présentance A présentance	Facilities requirements resulting from function being analysed, from facility criteria, or from the design described in the Figure A.	SECTION SECTIONS	
		'GM X3GM 80', V, '946 N	Figure A or Index number corresponding to item listed under nomenclature.	L	
	7.000 7.000 7.000	BALLAD - Marker - Marker	Short form numerilature of the item of equipment recommended to meet each technical requirement,	THE COMME	
	2	The section	Entrice in this column correspond to one of the twelve Maintenance functions listed in Column 6 of Form C (e.g., Test, Calibrate Headle etd),	-	
	TOWAS ISSUED	TOTAL STREET	Entrice in this column correspond to the System/Equipment on the buricontal line of the Form C.		
1	1	•	FORM C	ļ	ĺ
1	L	~	ILLUSTRATION 4 (SHEET 2 OF 2)	•	

-

REV SYM C

Entries in this follows currespond to the horisontal line number on the Form $\boldsymbol{C}_{\boldsymbol{x}}$

= 5	RECHNICAL I	MANUA	TECHNICAL MANUAL REQUIREMENTS FORM *CAPACITY *	(2)	AF CONTRACT NO.	MCT NO. (3)	No action	€
	PUBLICATION	1	Gen	Tuu.	-	ESTIMATED CHANGE PAGES	ESTRATED COST	D cost
<u>-</u>	TO ME CHANGED	(6)						
	NEW BASIC PUBLICATION	(9)	WYNTYT LAME	PROPOSIDITIES.		SPECIFICATION	THE PARTY OF THE P	
		REQUIREMENTS	EMENTS					
			3		E	Summary of Form B and/or Form C functional	n B and/or Fo	rm C functional
	Ξ	Mode	Model designator (e.g. S	SM-80C).		requirements to	be covered in	requirements to be covered in technical manual.
	(2)	Prep	Prepared by.		(8)	Specific Form B and/or Form C functions.	and/or Form	C functions.
	3	Appl	Applicable contract number.	Mer.	6	Key milestone establishing technical manual	tablishing tecl	brical manual
	Ē	Equi	Equipment or component	mt vendor.		availability.		
TIN	(2)	Reco		vise existing technical	(10)	Effectivity by Wing (e.g. Wing VI).	. Buj M. B. O. B.	VI).
-		man	manual, leave line (6) bl	blank.	(11)	Date of original preparation.	reparation.	
NO.	9	New	New technical manual re	required, leave line (5)	(21)	Date of current revision,	evision.	
D2.		blank.			(13)	(13) Assigned control number,	mumber,	
300		REFERENCES	SACES					
)44-1A			(8)	FORM D	T10N 5			
	AEQURED AVAILABILITY DAR	TELEBELITY	(6)	BACKIVITY (10)	NA.	SAR MENASE (11)	DAR MEVISO (12)	(13)
	2002							

FORM D

NO D2-30044-1A

REV SYM C

YPE OF MAINT. LOCATION AREA HOURS € TIME LINE ANALYSIS JOB OPERATION Timeline identification number. ILLUSTRATION 6 TIMEL INE FORM TASKS E 3 8 3 3 FUNCTION £ NUMBER (1) SOURCE 3

REV SYM ____

REV SYM C

| NO D2-30044-1A

Ξ

TIME LINE NUMBER

8

JOB OPERATION

2-6834-7-1

SOUNCE PREG. MIN MIN JOB (4) OF (5) OPER (6) TIME (7) TIME ANALY MONTH OPER MON ANALYTEMANCE 001 1.37 .58 Area and location, location code from Form 3 or Scheduled or unacheduled as applicable.	E NUMBER (II) OF 1-31225 G EXAMPLE ONLY	A SOUTH A SOUT	EVEN LEVEN	17) SPARES USED IN JOS OPERATION DEN NOMENCLATURE VEL TEST LEAD ADAPTER 3 SATTERY 2 PATTERY 3 SATTERY 4 DRY 1C2845
ANALY MONTH OPEN MON 001 1.27 .38	LANGE ONLY	A 2007 C 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	LADEN LADEN	NOMENCLATURE TEST LEAD ADAPTER BATTERY BATTERY, DRY 1C2845
001 1.37 .34 siden, location code from Form D or mockeduled as applicable.	1-31256 G CAMPLE ONLY	3 3 3 3 3 3 3 5 000 R	~ ~ ~ ~	TEST LEAD ADAPTER BATTERY BATTERY, DRY 1C2845
scation, location code from Form D or or unscheduled so applicable,	CAMPLE ONLY	3 3 3 3 5 50 60 60 60 60 60 60 60 60 60 60 60 60 60	~ ~ ~	BATTERY, DRY 1C266
	٠ !	3 3 3 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	m n	BATTERY, DRY 1C266
	o Į	3000 64	~	
	5	3000 64		LAMP MS2520-228
School or		:	~	TEST LEAD WISLASSY. OF 29-2006-1
The property from the contract of the contract		3000 ×	•	CURRENT SIMILATOR, CONNECTOR ASSEMBLY
(4) Form B, Form C, or Timeline sumber.		3007 64	~	HAZARDOUS CURRENT SHORTING PLUGS
(5) From fault matrix or Form C failure rates.			(10) MOE	(10) MAR USED IN JOS OPERATION
(6) End to and loop time, mosa time entry or from timeline (nours).	Mae (noure).	FIGURE A	1	NOMENCIATURE
		3007 64	72.72	TEST SET, EXPLOSIVE SET, CINCUITY
(6) AFSC & mo. of personnel required to perform job operation from Form B's and Form C's.	eration	¥ [9]	MULTIMETER	£ 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
(9) Sparse list required for job operation,			•	
٠	MA INTENANCE LOAD ING	LOADIN	c	

REV SYM_C

NO D2-30044-1A MGE 13 SEC I

	•	MGE MATRIX FORM			¥	,	
3	(2) NOMENCLATURE	USE IV	USAGE COMMIT USE BY JOB TIME TIME-DA (4) OPERATION (5) LOCATION (6) HE/MO (7) MONTH	OCATION	USAGE TIME (4) HE/MO(COMMITTED TIME-DAYS/ (7)MONTH	QUANTITY (8) 9412/REC/RRT
1 3	SEMITIALLER, TRANSPORTER-BECTOR	± 50 ± 50 ± 50 ± 50 ± 50 ± 50 ± 50 ± 50	PREVENTIVE MAINTENANCE	ב מכני	¥. ¥.	1 Q 1	(a) (b) (c)
F	TRUCK, TIACTOR, TIANSPORTER-ERECTOR	<u>ş</u>	PREVENTIVE MAINTENANCE 4	2282 8	¥.8	2 .	Ţ
· ·	CAMIAGE, ROCKET MOTOR, 1ST STAGE	IC 64 EXAMPLE ONLY	PREVENTIVE MAINTENANCE 4	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	8	9	- 1
	Figure A number for each MGE lias entry. Nomenclature for each lias entry. Figure A number of system or equipment requiring		(7) Time-days/meach equals COMMITTED TRAF X FARURE RATE summed for all job operations which are legged against item (1), (6) Three part entry consisting of (1). Analytical anaction (2),	th equals job opera y consisti	COMMITT Siens which ng of	ED TIME X F. h are logged a	ALURE RATE painst item (1).
Ÿ	maintenance. Job operation from respective timelina. Location of maintenance.			mmende bult repo BSD/ST	d quantities ring system L/SAC/00	Boeing recommended quantities based on cost studies of fault reporting system loading. Filled in by BSD/STL/SAC/OOMA review team only.	
5854	In-Use time for on-site maintenance equals FAILURE RATE X (LOOPTIME - DACTIVE TIME). In-Use time for Support Base and RPIE scheduled maintenance is derived from Form C data.		EQUIPMENT MATRIX	×	•		

REV SYM C

BOSING NO D2-30044-1A

SEC 1 PAGE 13.1 PAGE 13.1

3	REMARK) 					748 loddi. 1.47.	
E	RECOMMENDED QUANTITY	 					Analytical quantities, prefixed by area code. Quantities haped upon cost studies of fault reparting system leading. To be filled in by BSD/STL/SAC/OOAMA Review beam ealy. As required to clarify entries.	
3	9412C QUANTITY	GACF- 2	10/5 10/5	L. YCL	LFACF. 3	LFACF- 2 SMSB- 1	(6) Analytical quantities, prefixed by area code, (7) Quantities based upon cost studies of fault 1 (8) To be filled in by BSD/STL/SAC/OOAMA R. (9) As required to clarify emiries.	
£	SUPPORT BASE HOURS	_				8 .8	inalytical quantities, prefixed l Quantities based upon cost stu: To be filled in by BSD/STL/SA As required to clarify entries.	
MARY CHART (4)	LCFAF HOURS	436.73	226.94	23.22	635.92	£8.33	Analytica Quantitid To be fill	MRY
EQUIPMENT SUMMARY CHART	₹	ا ا حا	28.92	28.2	£.	126.33	EXAMPLE ONLY (6) (7) (8)	EQUIPMENT SUMMARY
(2)	8	COVER, ENVIRON	SHETE, ENVIRONMENTAL, TLANSPORTER-	POSITIONING KIT, CARLIAGE ROCKET MOTOR	HEATER, DUCT TYPE, PORTABLE	CYLINDBLYALVE COMMESSED GAS	ort listed, ah from MGE matrin. per momth from MGE matrin. i from MGE matrin.	EQUIPM
8	ŽŽ	40 I 64	42 64 428 64	4280 6A	4285 64	1 989	 Figure A number for item of support became and support became of utilization bours, per month of Sum of LF/LCF bours utilization Joral bours usage at support base 	

REV SYM C

| NO D2-30044-1A | SEC | | PAGE 13.2

D. DOCUMENT UPDATING

- 1. Revisions (partial or complete) will be issued on a timely basis to maintain this Document Series current with respect to the analysis effort.
- Generally, all data, including initial release, submitted to BSD/STL for review and approval prior to incorporation into this document. Exceptions may be made in certain cases on Boeing data, and shall be so noted.
- Data will be added in logical packages as developed and approved.

U3 4200 2000 REV. 8/62

2-8142-2

E. GLOSSARY OF ABBREVIATIONS

AFSC Air Force Speciality Code or Air Force

Systems Command

AGC Aerojet General

AGE Aero-Space Ground Equipment

AMA Air Material Area

AN. Autonetics

ATC Air Training Command

AV Avco

AVE Aero-Space Vehicle Equipment

BOEING The Boeing Company

BSD Ballistic Systems Division

CEP Circle of Equal Probability

CFE Contractor Furnished Equipment

C/O Checkout

DT & TE Depot Tooling and Test Equipment

G&C Guidance and Control

GES Ground Electronics System

GFE Government Furnished Equipment

GFP Government Furnished Property

HPC Hercules Powder Company, Magna, Utah

LCF Launch Control Facility

MAMS Missile Assembly and Maintenance Shops

MCC Mobile Launch Control Center

MGE Maintenance Ground Equipment

MLCC Mobile Launch Control Center

NA Not Applicable

OGE Operational Ground Equipment

U3 4288 2000 REV. 8 62

2-8142-2

E. (Continued)

PA Penetration Aids

PAS Primary Alert System

PROP Propulsion

RFI Radio Frequency Interference

RPIE Real Property Installed Equipment

R/V Re-entry Vehicle

SAC Strategic Air Command

SMSB Strategic Missile Support Base

STL Space Technology Laboratories, Inc.

SYL Sylvania

SYL (W) Sylvania (West)

TAPS Trajectory Accuracy Prediction System

TCC Thiokol Chemical Corporation

T-R Transformer - Rectifier

VAFB Vandenberg Air Force Base

W/S Weapon System

U3 4288 2000 REV. 8.62

r C

F. VOLUME INDEX

NOTE

All Volumes in the S-133-10 series are identified by a Boeing document number. The base portion of this number is D2-30044-. To obtain a given volume, add the volume number to the base number. (e.g. Volume 3A is Document No. D2-30044-3A).

SUBJECT				VOLUME
FACILITY CONFIGURATION	NS			
	A11		• • • • •	9
FIGURE A'S				
	AVE			3A
	OGE			3A
	RPIE	• • • •	• • • • •	3A
	MGE DT & TE .	• • • •	• • • •	3B
	VAFB	• • • •		3C
FORM B'S				
	Operational.			2A
	VAFB			2B
FORM'S C & C1				
	Operational			5A
	VAFB			. 5B
FORM D'S				
	Operational.			. 6A
	VAFB			. 6B
FUNCTIONAL FLOW DIAG	RAMS			
	Operational.			. 1B
	VAFB	• • • •	• • • • •	. 1C
INDEX				
	Usage			. 1A
	Volume	• • • •	• • • • •	. A11
INTRODUCTION				
	Series			. 1A
	Volume		• • • • •	. A11
MAINTENANCE LOADING	DATA			
	A11			. 8
SCHEMATIC BLOCK DIAG	RAMS			
	Operational			. 4A

U3 486 2000 REV. 8/62

3-5142-2

REV SYM__C

BOEINO NO. D2-30044-1A

Concepts & Description

U3 404 3000 RE '- 8/62

TABLE OF CONTENTS

Volume IA, Introduction & Indicies	
Introduction to document series Table of Contents of document series Usage Index	Section I Section II Section III
Volume IB, Functional Flow Diagrams	
Operational	Section IV
Volume IC, Functional Flow Diagrams	·
YAFB	Section V
Volume 2A, System Functional Analysis	
Form B's(Operational)	
Flight Mission Maintain readiness, Monitor & Launch On-Site Maintenance Emergency Response SMSB Activities Maintain Missile Downstage (MAMS)	Section I Section II Section IV Section V Section VI
Volume 2B, System Functional Analysis	
Form B's (VAFB)	
VAFB Supplement Form B's	Section VII
Volume 3A, Equipment Data Forms (Figure A)	
(AVE, OGE & RPIE)	
Aerospace Vehicle Equipment Operational Ground Equipment Real Property Installed Equipment	Section I Section II
(LF/LCF/MLCC)	Section III
Volume 3B, Equipment Data Forms (Figure A)	
(MGE/DT & TE)	
Maintenance Ground Equipment (SMSB) Depot Tooling and Test Equipment	Section IV
(MAMS & SRA)	Section V
	•

U3 400 3000 REV. 0/62

2-6142-2

TABLE OF CONTENTS (Cont'd)

Volume 3C, Equipment Data Forms (Figure A)

VAFB Peculiar and Modified Equipment

Section VI

Volume 4A, Subsystem Schematic Block Diagrams

Operational

Volume 5A, Equipment Maintenance

Analysis Forms C & C₁ (Operational)

Volume 5B, Equipment Maintenance Analysis

Forms C & C1 (VAFB)

Volume 6A, Technical Manual Requirements

Form D's (Operational)

Operational

Volume 6B, Technical Manual Requirements

Form D's (VAFB)

Volume 7, Timeline Forms

Volume 8, Maintenance loading

Volume 9, Weapon System Description

Weapon System Concepts
Subsystem operating diagrams
Facility Configurations

Section I Section II Section III

U3 4888 2000 REV. 9/62

2-8142-2

USAGE INDEX

A PURPOSE

To provide a means for rapid location and identification of data contained in the Requirements and Description Document.

B SCOPE

Entries to the usage index are alphabetically arranged to define and reference information by subject title. Information common to several forms, but having little or no subjective importance has been omitted. Example: Figure A number references appear on the Forms B, C, C, and Maintenance Loading Forms. Since a detailed description of the form entries is presented in the introduction to each volume, the location of each Figure A reference is superfluous. The usage index will be revised as necessary to reflect changes to the scope and direction of the analysis.

U3 4200 2000 REV. 6/62

USAGE INDEX

AIR FORCE SPECIALITY CODE -See PERSONNEL

ANALYSIS

FORMS-

Description, Sec I, Vol. 1, and

Introduction of each volume.

AEROSPACE GROUND EQUIPMENT (AGE)

DESCRIPTION, FUNCTION.

Figure A's Voi. 3 also Vol. 9 Form B's, Vol. 2, also Flows,

Vol. 1 B & 1 C

AEROSPACE VEHICLE EQUIPMENT (AVE)

DESCRIPTION. FUNCTION.

Figure A's Vol. 3, also Vol. 9 Form B's Vol. 2 also, Flows,

Vol. 1 B & 1 C

CODE

FORM.

Introduction to each volume

CONFIGURATION

DRAWINGS, FACILITY,

see III, Vol. 9

CONTRACTOR

CODE,

line C of Figure A, Vol. 3 also

Introduction, Vol. 3

CRITICALITY

FUNCTION,

col A of Form B, Vol. 2

DEPOT TOOLING and TEST EQUIPMENT (DT & TE)

FIGURE A's.

Vol. 3

FORM C'S

and C,'s, Vol. 5

FORM D'S

Vol. 6

U3 4890 2000 REV. 8/62

EQUIPMENT

DESCRIPTION, Figure A's, Vol. e, also W/S

Description, Vol. 9

EFFECTIVITY, see Figure A's, Vol. 3

FAILURE RATES, col F of Equipment Failure Rate Data Forms, Vol. 8; col 4, Fault Indication Matrix, Vol. 8

INDENTURE. col D of Form C, Vol. 5 MAINTENANCE, see MAINTENANCE NOMENCLATURE, Figure A's, Vol. 3.

QUANTITIES, col 7, Equipment and Personnel

Summaries, Vol. 8

STOCK NUMBERS, col D of Form C,

USE TIME. Equipment Matricies, Vol. 8

UTILIZATION HOURS,

col 3 of Equipment and Personnel

Summaries

FACILITIES

EQUIPMENT (RPIE),

col C of Form B, Vol. 2 col C of

Form C₁, Vol. 5

FACILITY

CONFIGURATION, sec III, Vol. 9 Figure A's Vol. 3 EQUIPMENT,

FAILURE

RATES.

col F of Equipment Failure Rate Data

Form, Vol. 8

col 4 of Fault Indication Matrix, Vol. 8

FAULT see FAILURE

FLOWS

FUNCTIONAL. Description and use, introduction Vol.

1B&IC

FUNCTIONAL, DIAGRAMS,

Vol. 1 B & 1 C

FUNCTIONAL, NUMBERS,

col A of Form B, Vol. 2

FLIGHT MISSION

DESCRIPTION, Vol. 9

FLOWS.

Vol 1 B & 1 C

FUNCTION

ANALYSIS FORM- FORM B, Vol. 2

AREAS see MAINTENANCE

BLOCKS,

introduction, Vol 1 B & 1 C

FREQUENCY, entry A 4 of Form B, Vol. 2. Given in Years, Months, Hours,

Minutes or Seconds

NUMBERS,

Description and use, introduction Vol. 1

US 4590 2000 REV. 0/62

2-5142-2

REV SYM___C

NO. D2-30044-1A BOEINO

FUNCTIONS

MAINTENANCE, col A 3 of Form B, Vol. 2 col A 3 of Form C₁ Vol. 5

INDENTURE

NUMBER, col D of Form C, Vol. 5 NUMBER, EXPLAINATION OF, introduction Vol. 5

INSTALLATION

STATUS, col F of Form C, Vol. 5

MAINTENANCE

ANALYSIS, Form C Vol. 5
AREA CODE, col A 3 of Form B, Vol. 2
CODES, DESCRIPTION.

introduction Vol. 2

CONCEPTS, sec I. Vol. 9

DOWN TIME/MONTH.

entry E of Maintenance Loading

Form, Vol. 8

EQUIPMENT, Figure A's, Vol. 3B

EQUIPMENT DESCRIPTIONS, Vol. 9

FREQUENCY OF JOB OPERATION, Entry 2

of Time Line, Vol. 7

Entry 5 of Maintenance Summary and correlation Form, Vol. 8

JOB OPERATION, entry 2 of Time Line, Vol. 7

entry 5 of Maintenance

Summary and Correlation Form Vol. 8

LEVELS, sec I. Vol. 9

LOADING FORMS, Vol. 9

LOCATION, col K of Form C, Vol. 5

col A3 of Form B, Vol. 2

Entry 1 of Maintenance Summary and Correlation Form, Vol. 8

LOOP TIME per JOB OPERATION,

entry B of Maintenance Summary and Correlation Form, Vol. 8

SPARES QUANTITIES,

entry F of Maintenance

Summary and Correlation Form, Vol. 8

TYPE OF, entry 2 if Maintenance Summary and

Correlation Form, Vol. 8

MAINTENANCE (Continued)

MGE USED IN JOB OPERATION, entry H of
Maintenance Summary and Correlation
Form, Vol. 8

MGE UTILIZATION HOURS/MONTH, entry G of
Maintenance Summary and Correlation
Form, Vol. 8. Obtained by multiplying
Function Performance Time (from
Form B, Form C and/or Time Line
Forms) by Frequency of Job Operation,
entry A.

MALFUNCTION see FAULT

MANUAL REQUIREMENTS.

Vol. 6

MONITOR

EQUIPMENT.

Sec II, Vol 9.

FUNCTIONS,

Functional Flows Vol 1 B & 1 C

Form B's, Vol. 2

NOMENCLATURE see INTRODUCTION of each Volume

ORGANIZATION

DESCRIPTIONS, Sec. 1 & II, Vol. 9 of Volumes, Sec. II, Vol. 1

PERFORMANCE see MAINTENANCE, or PERSONNEL WEAPON SYSTEM, Sec. 1, Vol. 9

U3 4200 2000 REV. 8/62

PERSONNEL

AIR FORCE SPECIALITY CODE. PERFORMANCE

CRITICALITY/TASK.

Col D 6 of Form B, Vol. 2 Col D 6 of Form C₁, Vol. 5

AFSC, TOTALS, Manning Summary Form Vol. 8

AFSC, TOTALS/TASK

Col D 5 of Form B, Vol. 2

Col D 5 of Form C₁, Vol. 5

CODES.

Introduction of Form B, Vol. 2 Introduction of Form C1. Vol. 5

FUNCTIONS.

Form B's, Vol. 2 Form C, 's, Vol. 5

MAN MONTHS/AFSC.

entry D of Maintenance Loading Form, Vol. 8, Equals Column A times Column B, times Column C

AxBxC 140

TEAM CODE.

Column D 3 of Form B, Vol. 2 Col. D 3 of Form C1, Vol. 5

TEAM/HOURS/MONTH,

Col. 7, Equipment and

Personnel Summaries, Vol. 8 Introduction of Form B, Vol. 2 Introduction of Form C₁, Vol. 5

TEAM NUMBERS.

Column 8, Equipment and Personnel

Summaries, Volumn 8

SKILLS, see AFSC, above

TRAINING, Sec I. Vol. 9

WEAPON SYSTEM TOTALS, Sec. I. Volume 9.

U3 400 2000 REV. 8/62

QUANTITY

EQUIPMENT,

Column M of Form C, Vol. 5

Columns D and E of Equipment Failure

Rate Data Forms, Vol. 9

SPARES,

Column F of Maintenance Loading

Forms, Vol. 8.

Seven on per month basis (9.75/mo.,

2010/mo.)

RECOMMENDED

SOLUTION,

entry to body of Figure A, Vol 3

entry to body of Form B, Vol 2

REQUIREMENTS

TECHNICAL,

entry to body of Figure A, Vol 3

entry to body of Form B, Vol 2

TECHNICAL MANUAL,

Vol. 6

SPARES see QUANTITY

STRATEGIC MISSILE SUPPORT BASE (SMSB)

EQUIPMENT,

Figure A's, Vol 3

FUNCTIONS.

Flows, Vol 1 B, Form B's, Vol 2

MAINTENANCE,

Forms C & C, Vol 5

Maintenance Loading Forms, Vol 8

SUBSYSTEM

BLOCK DIAGRAMS,

Vol 4

IDENTIFICATION,

entry C of Figure A, Vol 3

OPERATING DIAGRAMS,

Sec II, Vol 9

US 4206 2000 REV. 6/62

TIME

DOWN-TIME,

entry E of Maintenance Loading Forms

Vol 8

FUNCTION PERFORMANCE Col. A 6 of Form B, Vol 2

PERSONNEL,

see PERSONNEL

MAINTENANCE,

see MAINTENANCE

TIMELINE FORMS,

Vol 7

USE TIME,

Equipment Matricies, Vol. 8 Equals (loop time - stopover time) x frequency

of the maintenance function.

VANDENBURG AIRFORCE BASE

FLOWS,

Vol 1 B & 1 C

FIGURE A's. FORM B's,

Vol 3 C

Vol 2B

WEAPON SYSTEM

ANALYSIS,

Introduction, Volume 1

DESCRIPTION,

EQUIPMENT,

Volume 9

see Figure A's, Volume 3

FORCE SIZE,

Volume 9

U3 4506 3000 REV. 8/62

2-8145